

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in MCR [Mid Cumberland Region], by sex and race/ethnicity, 2005**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	23	46	a	9	50	a	32	47	a
Black, not Hispanic	22	44	a	7	39	a	29	43	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	*	*	a	0	0	a	*	*	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	*	*	a	*	*	a
Total	50	100	a	18	100	a	68	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by sex and age at diagnosis, 2005**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	13	19
25-34	13	26	7	39	20	29
35-44	*	*	*	*	20	29
45-54	*	*	*	*	9	13
55-64	*	*	*	*	6	9
>=65	0	0	0	0	0	0
Total	50	100	18	100	68	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by sex and exposure category, 2005**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	31	62	a	a	31	46
Injection drug use (IDU)	*	*	*	*	6	9
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	*	*	8	44	12	18
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	11	22	*	*	19	28
Total	50	100	18	100	68	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by race/ethnicity and exposure category, 2005**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	16	50	14	48	*	*	0	0	0	0	0	0	31	46
Injection drug use (IDU)	*	*	*	*	0	0	0	0	0	0	0	0	6	9
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	*	9	31	0	0	0	0	0	0	0	0	12	18
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	11	34	*	*	*	*	*	*	0	0	*	*	19	28
Total	32	100	29	100	*	100	*	100	0	0	*	100	68	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by sex and tuberculosis comorbidity, 2005**

<b>Tuberculosis diagnosis</b>	<b>Males</b>		<b>Females</b>		<b>Total</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
Not diagnosed	49	98	18	100	67	99
Definitive case	*	*	0	0	*	*
Presumptive case	*	*	0	0	*	*
Total	50	100	18	100	68	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	*	*	a
Black, not Hispanic	*	*	a	*	*	a	*	*	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	16	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and sex**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	61	48	49	50	50	914
Females	12	15	16	12	18	227
Total	73	63	65	62	68	1,141

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	43	40	43	40	32	743
Black, not Hispanic	29	20	17	16	29	349
Hispanic	*	*	*	*	*	32
Asian/Pacific Islander	0	*	*	0	*	9
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	*	*	0	*	*	5
Total	73	63	65	62	68	1,141

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity:sex**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Race/ethnicity:Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic: Male	38	34	33	32	23	629
White, not Hispanic: Female	5	6	10	8	9	114
Black, not Hispanic: Male	22	11	*	*	22	248
Black, not Hispanic: Female	7	9	*	*	7	101
Hispanic: Male	*	*	*	*	*	24
Hispanic: Female	0	0	*	*	*	8
Asian/Pacific Islander: Male	0	*	*	0	*	6
Asian/Pacific Islander: Female	0	0	*	0	0	3
American Indian/Alaska Native: Male	0	0	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	0	*	0	4
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	73	63	65	62	68	1,141

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and age at diagnosis**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	14
13-14	0	0	0	0	0	2
15-24	12	*	8	8	13	125
25-34	14	24	14	19	20	401
35-44	30	18	27	17	20	401
45-54	15	11	12	16	9	155
55-64	*	*	*	*	6	33
>=65	*	*	*	*	0	10
Total	73	63	65	62	68	1,141

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and exposure category**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	40	28	27	35	31	568
Injection drug use (IDU)	10	*	8	*	6	156
Male-to-male sex and IDU	*	*	*	*	0	52
Heterosexual contact	8	12	12	9	12	174
Mother with/at risk for HIV	*	0	*	0	0	7
Other/unknown	13	16	15	13	19	184
Total	73	63	65	62	68	1,141

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and sex**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	25	16	27	30	30	317
Females	6	7	7	5	7	113
Total	31	23	34	35	37	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	18	17	23	28	17	271
Black, not Hispanic	13	6	8	*	16	138
Hispanic	0	0	*	*	*	13
Asian/Pacific Islander	0	0	*	0	*	6
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	1
Total	31	23	34	35	37	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity:sex**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Race/ethnicity:Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic: Male	*	*	*	*	*	214
White, not Hispanic: Female	*	*	*	*	*	57
Black, not Hispanic: Male	*	*	*	*	*	88
Black, not Hispanic: Female	*	*	*	*	*	50
Hispanic: Male	0	0	*	*	*	9
Hispanic: Female	0	0	*	*	*	4
Asian/Pacific Islander: Male	0	0	*	0	*	4
Asian/Pacific Islander: Female	0	0	*	0	*	2
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
<b>Total</b>	<b>31</b>	<b>23</b>	<b>34</b>	<b>35</b>	<b>37</b>	<b>430</b>

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and age at diagnosis**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	4
13-14	0	0	0	0	0	2
15-24	12	*	8	*	12	85
25-34	*	11	8	15	10	155
35-44	8	*	11	7	10	123
45-54	*	*	*	8	*	50
55-64	*	*	*	*	*	9
>=65	0	0	0	0	0	2
Total	31	23	34	35	37	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and exposure category**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	17	7	16	22	21	190
Injection drug use (IDU)	*	*	*	*	*	48
Male-to-male sex and IDU	0	*	*	*	0	19
Heterosexual contact	*	*	*	*	*	76
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	6	9	9	8	11	93
Total	31	23	34	35	37	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.



**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and sex**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	41	32	23	33	32	597
Females	6	7	11	13	11	114
Total	47	39	34	46	43	711

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	27	18	24	23	23	472
Black, not Hispanic	19	18	9	18	17	211
Hispanic	*	*	0	*	*	19
Asian/Pacific Islander	0	*	*	0	*	3
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	*	*	*	*	0	4
Total	47	39	34	46	43	711

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity:sex**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	14	16	*	415
White, not Hispanic: Female	*	*	10	7	*	57
Black, not Hispanic: Male	*	12	9	*	*	160
Black, not Hispanic: Female	*	6	0	*	*	51
Hispanic: Male	*	*	0	*	*	15
Hispanic: Female	0	0	0	*	*	4
Asian/Pacific Islander: Male	0	*	0	0	*	2
Asian/Pacific Islander: Female	0	0	*	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	2
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	*	0	*	0	3
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	47	39	34	46	43	711

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and age at diagnosis**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	8
13-14	0	0	0	0	0	0
15-24	*	*	0	*	*	21
25-34	9	13	6	11	14	238
35-44	22	12	18	16	15	287
45-54	13	9	7	13	7	121
55-64	*	*	*	*	*	28
>=65	*	*	*	0	0	8
Total	47	39	34	46	43	711

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and exposure category**

	2001	2002	2003	2004	2005	Cumulative cases through 2005
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	25	20	10	18	20	378
Injection drug use (IDU)	8	*	9	9	*	108
Male-to-male sex and IDU	*	0	*	*	0	33
Heterosexual contact	*	6	*	12	10	98
Mother with/at risk for HIV	0	0	0	0	0	3
Other/unknown	8	9	7	*	*	91
Total	47	39	34	46	43	711

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and sex**

	2001	2002	2003	2004	2005
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	487	525	557	593	629
Females	140	150	159	166	182
Total	627	675	716	759	811

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and race/ethnicity**

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	401	432	463	495	516
Black, not Hispanic	205	219	225	232	256
Hispanic	14	15	17	22	27
Asian/Pacific Islander	*	*	7	7	9
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	*	*	*	*	*
Total	627	675	716	759	811

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and race/ethnicity:sex**

	2001	2002	2003	2004	2005
<b>Race/ethnicity:Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic: Male	333	358	383	408	421
White, not Hispanic: Female	68	74	80	87	95
Black, not Hispanic: Male	137	147	152	161	179
Black, not Hispanic: Female	68	72	73	71	77
Hispanic: Male	*	*	*	*	20
Hispanic: Female	*	*	*	*	7
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	*	*	*	*	*
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	0	0	0	0	0
Total	627	675	716	759	811

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and current age**

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	*	*	*	*	*
15-24	10	10	12	19	32
25-34	81	97	113	127	144
35-44	262	274	286	298	317
45-54	194	205	216	223	225
55-64	61	69	70	73	74
>=65	14	15	14	14	14
Total	627	675	716	759	811

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and exposure category**

	2001	2002	2003	2004	2005
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	304	326	344	369	396
Injection drug use (IDU)	88	90	94	94	96
Male-to-male sex and IDU	34	36	38	36	36
Heterosexual contact	106	116	123	130	136
Mother with/at risk for HIV	5	5	5	5	5
Other/unknown	90	102	112	125	142
Total	627	675	716	759	811

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and sex**

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	7	*	17	*	*	285
Females	6	*	7	*	*	45
Total	13	15	24	19	16	330

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and race/ethnicity**

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	7	9	12	8	*	227
Black, not Hispanic	6	6	11	9	*	93
Hispanic	0	0	*	0	0	5
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	*	*	0	4
Total	13	15	24	19	16	330

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	9	*	*	*	208
White, not Hispanic: Female	*	0	*	*	*	19
Black, not Hispanic: Male	*	*	*	*	*	69
Black, not Hispanic: Female	*	*	*	*	*	24
Hispanic: Male	0	0	0	0	0	4
Hispanic: Female	0	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	*	*	0	3
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	13	15	24	19	16	330

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and age at death**

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	5
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	6
25-34	*	*	*	*	*	79
35-44	7	8	6	8	*	131
45-54	*	*	9	9	8	78
55-64	0	*	5	*	5	22
>=65	0	*	*	0	0	9
Total	13	15	24	19	16	330

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and exposure category**

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	6	9	10	*	172
Injection drug use (IDU)	*	*	*	*	*	60
Male-to-male sex and IDU	0	*	*	*	0	16
Heterosexual contact	*	*	5	*	6	38
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	5	0	*	42
Total	13	15	24	19	16	330

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.